09/966,386

L Number	Hits	Search Text	DB	Time stamp
	2415	(fail\$6 or fault\$6 or error\$6 or problem or	USPAT;	2004/04/30
		dirty or defect\$6 or malfunct\$4) adj3	US-PGPUB;	12:50
		memory adj3 address\$4	EPO; JPO;	
			DERWENT;	
			IBM_TDB	•
-	2	transparent adj memory adj error\$4 adj	USPAT;	2004/04/30
		(correct\$4 or fix\$4)	US-PGPUB;	12:26
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2617	(fail\$6 or fault\$6 or error\$6 or problem or	USPAT;	2004/04/30
		dirty or defect\$6 or malfunct\$4) adj3	US-PGPUB;	12:24
		(storage\$1 or memory) adj3 address\$4	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	transparent adj (storage\$1 or memory) with	USPAT;	2004/04/30
		(error\$4 adj (correct\$4 or fix\$4))	US-PGPUB;	12:28
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	disabl\$6 same (transparent adj (storage\$1	USPAT;	2004/04/30
		or memory) with (error\$4 adj (correct\$4 or	US-PGPUB;	12:44
		fix\$4)))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	62	physical adj memory adj module\$	USPAT;	2004/04/30
			US-PGPUB;	12:47
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	124088	(test\$6 or diagnos\$6 or analyz\$4 or	USPAT;	2004/04/30
		analis\$4) with (memory or storage\$)	US-PGPUB;	12:49
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	875	transparent with (fail\$6 or fault\$6 or error\$6	USPAT;	2004/04/30
		or problem or dirty or defect\$6 or	US-PGPUB;	12:51
		malfunct\$4) with correct\$6	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	3	((test\$6 or diagnos\$6 or analyz\$4 or	USPAT;	2004/04/30
		analis\$4) with (memory or storage\$)) with	US-PGPUB;	12:51
		(transparent with (fail\$6 or fault\$6 or	EPO; JPO;	
		error\$6 or problem or dirty or defect\$6 or	DERWENT;	
		malfunct\$4) with correct\$6)	IBM_TDB	
-	2	(((test\$6 or diagnos\$6 or analyz\$4 or	USPAT;	2004/04/30
		analis\$4) with (memory or storage\$)) with	US-PGPUB;	12:52
	1	(transparent with (fail\$6 or fault\$6 or	EPO; JPO;	
		error\$6 or problem or dirty or defect\$6 or	DERWENT;	
		malfunct\$4) with correct\$6)) with disabl\$6	IBM_TDB	

	- ₁			r
•	918	error\$6 with correct\$6 with disabl\$6	USPAT; US-PGPUB;	2004/04/30 12:52
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	12	(error\$6 with correct\$6 with disabl\$6) with	USPAT;	2004/04/30
		((test\$6 or diagnos\$6 or analyz\$4 or	US-PGPUB;	12:54
		analis\$4) with (memory or storage\$))	EPO; JPO;	
			DERWENT; IBM_TDB	
_	1	((error\$6 with correct\$6 with disabl\$6) with	USPAT;	2004/04/30
-		((test\$6 or diagnos\$6 or analyz\$4 or	US-PGPUB;	12:53
		analis\$4) with (memory or storage\$))) with	EPO; JPO;	12.00
	'	((fail\$6 or fault\$6 or error\$6 or problem or	DERWENT;	
		dirty or defect\$6 or malfunct\$4) adj3	IBM_TDB	
		memory adj3 address\$4)		
-	3	((error\$6 with correct\$6 with disabl\$6) with	USPAT;	2004/04/30
		((test\$6 or diagnos\$6 or analyz\$4 or	US-PGPUB;	12:53
		analis\$4) with (memory or storage\$))) same	EPO; JPO;	
		((fail\$6 or fault\$6 or error\$6 or problem or	DERWENT;	
		dirty or defect\$6 or malfunct\$4) adj3 memory adj3 address\$4)	IBM_TDB	
-	82	(error\$6 with correct\$6 with disabl\$6) and	USPAT;	2004/04/30
		((test\$6 or diagnos\$6 or analyz\$4 or	US-PGPUB;	13:00
		analis\$4) with (memory or storage\$)) and	EPO; JPO;	
		(71\$/\$.ccls.)	DERWENT;	
		//	IBM_TDB	0004/04/00
•	1	((error\$6 with correct\$6 with disabl\$6) and ((test\$6 or diagnos\$6 or analyz\$4 or	USPAT;	2004/04/30 12:55
		analis\$4) with (memory or storage\$)) and	US-PGPUB; EPO; JPO;	12:55
		(71\$/\$.ccls.)) and (physical adj memory adj	DERWENT;	!
		module\$)	IBM_TDB	
•	8	((error\$6 with correct\$6 with disabl\$6) and	USPAT;	2004/04/30
		((test\$6 or diagnos\$6 or analyz\$4 or	US-PGPUB;	12:58
		analis\$4) with (memory or storage\$)) and	EPO; JPO;	
		(71\$/\$.ccls.)) and ((fail\$6 or fault\$6 or	DERWENT;	
		error\$6 or problem or dirty or defect\$6 or	IBM_TDB	
		malfunct\$4) adj3 (storage\$1 or memory)		
_	17	adj3 address\$4) (error\$6 with correct\$6 with disabl\$6) same	HEDAT.	2004/04/30
-		((test\$6 or diagnos\$6 or analyz\$4 or	USPAT; US-PGPUB;	2004/04/30 12:59
		analis\$4) with (memory or storage\$))	EPO; JPO;	12.00
			DERWENT;	
			IBM_TDB	
-	14	((error\$6 with correct\$6 with disabl\$6) same	USPAT;	2004/04/30
		((test\$6 or diagnos\$6 or analyz\$4 or	US-PGPUB;	12:59
		analis\$4) with (memory or storage\$))) not	EPO; JPO;	
		(((error\$6 with correct\$6 with disabl\$6) and	DERWENT;	
		((test\$6 or diagnos\$6 or analyz\$4 or	IBM_TDB	
ł		analis\$4) with (memory or storage\$)) and		
	1			
		(71\$/\$.ccls.)) and ((fail\$6 or fault\$6 or		
		(715/5.ccis.)) and ((falls) or faults) or error\$6 or problem or dirty or defect\$6 or malfunct\$4) adj3 (storage\$1 or memory)		

		///	HCDAT-	2004/04/30
•	9	(((error\$6 with correct\$6 with disabl\$6) same ((test\$6 or diagnos\$6 or analyz\$4 or analis\$4) with (memory or storage\$))) not (((error\$6 with correct\$6 with disabl\$6) and ((test\$6 or diagnos\$6 or analyz\$4 or analis\$4) with (memory or storage\$)) and (71\$/\$.ccls.)) and ((fail\$6 or fault\$6 or error\$6 or problem or dirty or defect\$6 or malfunct\$4) adj3 (storage\$1 or memory) adj3 address\$4))) and (7\$/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	13:01
-	1	(((error\$6 with correct\$6 with disabl\$6) same ((test\$6 or diagnos\$6 or analyz\$4 or analis\$4) with (memory or storage\$))) not (((error\$6 with correct\$6 with disabl\$6) and ((test\$6 or diagnos\$6 or analyz\$4 or analis\$4) with (memory or storage\$)) and (71\$/\$.ccls.)) and ((fail\$6 or fault\$6 or error\$6 or problem or dirty or defect\$6 or malfunct\$4) adj3 (storage\$1 or memory) adj3 address\$4))) and (36\$/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:01
-	4	((error\$6 with correct\$6 with disabl\$6) and ((test\$6 or diagnos\$6 or analyz\$4 or analis\$4) with (memory or storage\$)) and (71\$/\$.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:01
-	82	((error\$6 with correct\$6 with disabl\$6) and ((test\$6 or diagnos\$6 or analyz\$4 or analis\$4) with (memory or storage\$)) and (71\$/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:02
•	8	(((error\$6 with correct\$6 with disabl\$6) and ((test\$6 or diagnos\$6 or analyz\$4 or analis\$4) with (memory or storage\$)) and (71\$/\$.ccls.)) and ((fail\$6 or fault\$6 or error\$6 or problem or dirty or defect\$6 or malfunct\$4) adj3 memory adj3 address\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:02
-	82	(((error\$6 with correct\$6 with disabl\$6) and ((test\$6 or diagnos\$6 or analyz\$4 or analis\$4) with (memory or storage\$)) and (71\$/\$.ccls.)) and ((test\$6 or diagnos\$6 or analyz\$4 or analis\$4) with (memory or storage\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:03
-	6	(((error\$6 with correct\$6 with disabl\$6) and ((test\$6 or diagnos\$6 or analyz\$4 or analis\$4) with (memory or storage\$)) and (71\$/\$.ccls.)) and (transparent with (fail\$6 or fault\$6 or error\$6 or problem or dirty or defect\$6 or malfunct\$4) with correct\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:18

•	3219	correct\$6 with (check\$6 adj2 error\$4)	USPAT;	2004/04/30
			US-PGPUB;	13:31
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	103	(correct\$6 with (check\$6 adj2 error\$4)) with	USPAT;	2004/04/30
		processor\$	US-PGPUB;	13:20
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2848	processor adj1 state\$	USPAT;	2004/04/30
			US-PGPUB;	13:21
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	2	((correct\$6 with (check\$6 adj2 error\$4))	USPAT;	2004/04/30
		with processor\$) same (processor adj1	US-PGPUB;	13:24
		state\$)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	((correct\$6 with (check\$6 adj2 error\$4))	USPAT;	2004/04/30
•		with processor\$) and (processor adj1	US-PGPUB;	13:35
		state\$)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	2905	(transfer\$4 or send\$6) same control\$6 same	USPAT;	2004/04/30
		(processor\$4 near2 instruction\$1)	US-PGPUB;	13:28
		,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	164551	correct\$6 near5 (error\$4 or fault\$4 or	USPAT;	2004/04/30
		problem4 or fail\$4)	US-PGPUB;	13:32
		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	681	(restor\$4 or gett\$4-back or return\$4 or	USPAT;	2004/04/30
		recover\$4) with (processor adj2 state\$)	US-PGPUB;	13:37
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	2	(((transfer\$4 or send\$6) same control\$6	USPAT;	2004/04/30
		same (processor\$4 near2 instruction\$1))	US-PGPUB;	13:37
		same (correct\$6 near5 (error\$4 or fault\$4 or	EPO; JPO;	
		problem4 or fail\$4))) same ((restor\$4 or	DERWENT;	.
	[gett\$4-back or return\$4 or recover\$4) with	IBM_TDB	
		(processor adj2 state\$))		
-	2	(((transfer\$4 or send\$6) same control\$6	USPAT;	2004/04/30
]	same (processor\$4 near2 instruction\$1))	US-PGPUB;	13:40
		same (correct\$6 near5 (error\$4 or fault\$4 or	EPO; JPO;	
		problem4 or fail\$4))) and ((restor\$4 or	DERWENT;	İ
	[gett\$4-back or return\$4 or recover\$4) with	IBM_TDB	
		(processor adj2 state\$))		
	J	(kiacasai daly sidica))	L	

•	2	((restor\$4 or gett\$4-back or return\$4 or	USPAT;	2004/04/30
		recover\$4) with (processor adj2 state\$))	US-PGPUB;	13:40
		same (correct\$6 with (check\$6 adj2	EPO; JPO;	
		error\$4))	DERWENT;	
			IBM_TDB	
	15	((restor\$4 or gett\$4-back or return\$4 or	USPAT;	2004/04/30
		recover\$4) with (processor adj2 state\$)) and	US-PGPUB;	13:40
		(correct\$6 with (check\$6 adj2 error\$4))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	15	((transfer\$4 or send\$6) same control\$6	USPAT;	2004/04/30
		same (processor\$4 near2 instruction\$1))	US-PGPUB;	13:46
		same (correct\$6 near5 (error\$4 or fault\$4 or	EPO; JPO;	
		problem4 or fail\$4))	DERWENT;	
			IBM_TDB	
•	13	(((restor\$4 or gett\$4-back or return\$4 or	USPAT;	2004/04/30
		recover\$4) with (processor adj2 state\$)) and	US-PGPUB;	13:46
		(correct\$6 with (check\$6 adj2 error\$4))) not	EPO; JPO;	
		(((transfer\$4 or send\$6) same control\$6	DERWENT;	
		same (processor\$4 near2 instruction\$1))	IBM_TDB	
		same (correct\$6 near5 (error\$4 or fault\$4 or		
		problem4 or fail\$4)))		